




November 8, 2023

**Simulated Performance
of the SiD Digital ECal
Based on Monolithic Active Pixel Sensors**

Jim Brau,
University of
Oregon

on behalf of
the SiD MAPS Collaboration
(M. Breidenbach, A.Habib,
L. Rota, C.Vernieri et al.)



UNIVERSITY OF
OREGON

Research partially supported
by the U.S. Department of Energy

“The SiD Digital ECal Based on Monolithic Active Pixel Sensors”,
10.3390/instruments6040051, Instruments, 6, 51 (2022)



SiD Digital ECal Based on MAPS

- ❖ Upgrade ILC TDR design to replace sensors with 13 mm² analog pixels with 25 x 100 μm² (or 25 x 50 μm²) digital pixels.
- ❖ How well can we measure energy and shower structure with digital system:
 - ❖ Compared to SiD baseline of analog measurements.
 - ❖ Can the detailed structural measurements be used to improve measurement?
 - ❖ Would a neural net optimization offer an improvement?
- ❖ What are the limits of transverse separation and measurement?


Large area MAPS for SiD tracker & ECal

Benefits of large-area MAPS:

- Standard CMOS foundry, low resistivity: **cost** ↓
- Sensing element and readout electronics on same die
 - In-pixel amplification: **noise** ↓, **power** ↓
 - No need for bump-bonding: **cost** ↓
- Area > 10x10 cm² → enable O(1) m² modules

Several design challenges:

- Large on-die variations, mismatch
- Yield
- Stitching layout rules
- Distribution of power supply
- Distribution of global control signals/references




An example of the SiD Tracker and the ECal overall design

Goals of R&D: find solutions and explore novel design techniques


Main specifications for Large Area MAPS development

L. Rota

Parameter	Value	Notes
Min Threshold	140 e ⁻	0.25*MIP with 10 μm thick epi layer
Spatial resolution	7 μm	In bend plane, based on SiD tracker specs
Pixel size	25 x 100 μm ²	Optimized for tracking (note: 25 x 50 μm ²)
Chip size	10 x 10 cm ²	Requires stitching on 4 sides
Chip thickness	300 μm	<200 μm for tracker. Could be 300 μm for ECal to improve yield.
Timing resolution (pixel)	~ ns	Bunch spacing: C ³ strictest with 5.3->3.5 ns; ILC is 554 ns
Total Ionizing Dose	100 kRads	Total lifetime dose, not a concern
Hit density / train	1000 hits / cm ²	
Hits spatial distribution	Clusters	Due to jets
Balcony size	1 mm	Only on one side, where wire-bonding pads will be located.
Power density	20 mW / cm ²	Based on SiD tracker power consumption: 400W over 67m ²



25 x 100 μm²
ECal performance same as 50 x 50 μm²



SiD Tracker and the ECal

RDC3 talks today
A. Habib & C. Vernieri




Model of longitudinal structure of SiD ECal

Total = $27 X_0$






Minimize sampling gap to achieve optimal Moliere radius (14 mm) & shower separation







10 GeV Shower in $25 \times 100 \mu\text{m}^2$






Resolution vs. Energy (hits & mips)

Resolution vs. Energy (hits & mips)




Gamma Resolution vs. Energy (B=5T)






Example of hit distribution in a MAPS

Cluster Size for Mip Counts





- ❖ Most hits isolated
 - ❖ Single hit cluster
- ❖ Multiple hit clusters
 - ❖ Often single mip,
 - ❖ Or no mip
- ❖ Counting clusters should reduce hit fluctuations




Resolution vs. Energy (hits/clusters/mips)

Resolution vs. Energy (hits/clusters/mips)




Gamma Resolution vs. Energy (B=5T)




Simple cluster performance is better than hit counting.

All Clusters are not the same

Cluster and nearby hits









❖ Some clusters are numerous mips.





Mips/cluster 10 GeV γ s - 2000 showers






10 GeV γ s - 2000 showers

Apply weight to clusters:



$$\text{RadWt} = a \exp(-bR) + c$$

$$a, b, c = f(\text{CISz})$$




Resolution vs. Energy (hits/clusters/mips)

Resolution vs. Energy
(hits / clusters / mips)
& weighted clusters.



Gamma Resolution vs. Energy (B=5T)





TMVA Neural Net

TRAINING - 10 GeV
2000 events
2,502,000 hits
1,878,999 clusters

Neural net cluster weighting based on

1. Three input parameters =
Cluster size, layer num, shower radius
2. Five input parameters =
Add cluster length in Y and Z





```
# Store model to file  
model.save('modelRegression%s.h5'%Efact)  
model.summary()
```

```
# Book methods  
factory.BookMethod(dataloader, TMVA.Types.kPyKeras, 'PyKeras',  
                  'H:!
```

```
V:VarTransform=D,G:FilenameModel=modelRegression%s.h5:FilenameTrainedModel=  
trainedModelRegression%s.h5:NumEpochs=20:BatchSize=32'%(Efact,Efact))
```




Weighted function vs. TMVA neural net (10 GeV γ s)





Results: Energy Resolution




Energy	1	2	5	10	20	50
clusters	13.8%	10.1%	6.6%	4.9%	3.7%	2.7%
wtd clusters	12.3%	8.8%	5.7%	4.4%	3.2%	2.2%
3 par TMVA	12.6%	9.5%	6.2%	4.4%	3.4%	2.2%
5 par TMVA	12.8%	9.4%	5.9%	4.3%	3.1%	2.2%

- ❖ Weight fits for 2, 10, 50 GeV; extrapolated for 1, 5, 20 GeV.
- ❖ NN optimized for each energy
- ❖ 3 par = cluster size, layer, radius
- ❖ 5 par = cluster size, layer, radius, dY , dZ

Weighted clusters already achieve performance of this neural net.




Transverse Shower Structure




Multi-shower of SiD MAPS compared to SiD TDR

40 GeV $\pi^0 \rightarrow$ two 20 GeV γ 's




SiD TDR hexagonal sensors
13 mm² pixels




New SiD fine pixel sensors
25 μ m x 100 μ m pixels

Shower Image, Event 7



γ 's in jet / SiD baseline ECal (13mm^2 pixels)



- ❖ 13 mm^2 pixels of analog SiD ECal
- ❖ 5000x granularity with digital MAPS ECal
- ❖ Upcoming integration into SiD simulation will define scale of improvement?



Conclusion

- ❖ Application of monolithic active pixel sensors (MAPS) to SiD digital ECal offers excellent performance:
 - ❖ Energy measurement
 - ❖ Transverse energy containment & multiple shower separation
- ❖ The well defined structure of EM showers allows simple algorithmic improvement in energy measurement.
- ❖ Neural nets have been studied to improve energy measurement:
 - ❖ They have not yet provided improvement over the “informed” algorithm.
- ❖ Future - simulation of full SiD detector with high granularity of MAPS ECal